# WorkForce Pro WF-C5890DWF



# Reduce your business printing costs and environmental impact, while increasing productivity with less intervention and enhanced security.

A small workgroup printer perfect for the business environment, from small offices to large corporates. Ideal for those who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime, while also reducing their environmental impact and improving their CSR reputation.

## Save money

The low TCO and fewer required replacement part make this an attractive choice for businesses on a budget. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

# High productivity and low intervention

Delivering faster First Page Out Time (FPOT) for both colour and mono prints than comparable laser printers1. Print up to 10,000 pages in monochrome and 5,000 in colour without changing supplies. In addition, the WF-C5890DW can print on a wide range of media, including recycled paper, glossy media, envelopes and labels.

## Reduce your impact

Improve your businesses sustainability, while keeping productivity high and energy costs low. Benefit from low-power consumption without compromising on an ultra-sharp output.

#### Built for business

A range of software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices. And with its brand new, user-friendly GUI, it's intuitive to operate.

#### **DATASHEET / BROCHURE**





























## **KEY FEATURES**

#### Sustainable

Low power consumption and fewer supplies

# Save money

Fewer replacement parts and low TCO

# • High productivity, low intervention Reliable printing with high-ink-yield supplies and great paper capacity

# Built for business DuraBrite Ultra pigment inks



#### PRODUCT SPECIFICATIONS

**TECHNOLOGY** 

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles Black, 800 Nozzles per Color

Minimum Droplet Size 3,8 pl, With Variable-Sized Droplet Technology

Ink Technology DURABrite™ Ultra

Category Office Workgroup

All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 4,8 Seconds, Colour 5,3 Seconds
Printing Speed ISO/IEC 24734 25 pages/min Monochrome, 25 pages/min Colour
Duplex Printing Speed 16 A4 Pages/min Monochrome, 16 A4 Pages/min Colour

ISO/IEC 24734

Maximum Printing Speed 34 pages/min Monochrome (plain paper 75 g/m²), 34 pages/min Colour (plain paper 75 g/m²)

Printing Resolution 4.800 x 1.200 DPI
Printing Volume 75.000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 250 - 5.000 pages per month

For detailed information on printing speeds please visit http://www.epson.eu/testing.

SCAN

Scanning Speed 24 ipm ( Monochrome, Single-sided, 200 dpi, ADF ); 24 ipm ( Colour, Single-sided, 200 dpi,

ADF); 7,5 ipm (Monochrome, Double-sided, 200 dpi, ADF); 7,5 ipm (Colour, Double-sided,

200 dpi, ADF); 5 sec/page ( Monochrome, 200 dpi, Flatbed ); sec/page, dpi;

Optical Resolution 1.200 DPI x 2.400 DPI (Horizontal x Vertical)

Optical Resolution (ADF) 1.200 DPI (Horizontal x Vertical)

Advanced document Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture

integration Pro), USB Memory Device / Card

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 200 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax Functions PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

COPY

Copy Speed Up to 22 ipm Black, Up to 22 ipm Colour

\*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Copy resolution (dpi) 600 x 1200
Reduction / Enlargement 25 % - 400 %
Maximum number of copies 999

#### WorkForce Pro WF-C5890DWF

#### WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)



#### PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5890DWF

CONNECTIVITY

**Network Printing Protocols** 

Network Management Protocols

LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP

2.0c. SNMP 3.0. SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces

Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), USB 2.0-A (2x)

WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES) WLAN Security TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS Network Protocol

PAPER / MEDIA HANDLING

Paper Formats C4 (Envelope), Legal, A6 (10.5x14.8 cm), A5 (14.8x21.0 cm), B5, Letter,  $9 \times 13$  cm,  $10 \times 15$  cm,

13 x 18 cm, A4 (21.0x29.7 cm), B6, C5 (Envelope), No. 10 (Envelope), User defined, C6

(Envelope), DL (Envelope)

Automatic Document Feed 50 pages

Compatible Paper Weight

Duplex

Standard Paper input

250 Sheets Standard, 80 Sheets MP tray

64 g/m<sup>2</sup> - 256 g/m<sup>2</sup>

Output Tray Capacity 150 Sheets

Paper Tray Capacity 330 Sheets Standard, 1.830 Sheets Maximum Standard paper tray(s) 80-Sheet Multi-Purpose Tray, 250-sheet paper tray

Optional paper tray(s) 3 x 500 sheet paper tray 1.830

Maximum paper input Rear paper path (special

media)

Number of paper trays

4

Yes

PAPER FEED RASE

Paper Input Name Paper Formats

A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal

Custom sizes Min 64x 127 mm to Max 216x 60.000 mm 64 g/m<sup>2</sup> - 256 g/m<sup>2</sup>

Compatible paper weight

Paper Capacity 1

80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper Media type

PAPER FEED C1

Paper Input Name

Paper Formats A4, A5, A6, Letter

Custom sizes Min 89x 127 mm to Max 216x 356 mm

Compatible paper weight 64 g/m<sup>2</sup> - 160 g/m<sup>2</sup> Paper Capacity 1

250 Sheets of Plain Paper, Envelopes, 80gsm Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED C2

Paper Input Name C2 Paper Formats A4, Letter

Min 100x 148 mm to Max 216x 356 mm **Custom sizes** 

Compatible paper weight 64 g/m<sup>2</sup> - 160 g/m<sup>2</sup>

Paper Capacity 1 500 Sheets of Plain Paper, 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

PAPER FEED DUPLEX

Paper Input Name Duplex

A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive Paper Formats Custom sizes Min 148x 210 mm to Max 216x 297 mm

Compatible paper weight 64 g/m<sup>2</sup> - 160 g/m<sup>2</sup>

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead



#### PRODUCT SPECIFICATIONS

#### **GENERAL**

**Energy Use** 27 Watt (standalone copying, ISO/IEC 24712 pattern), 1,2 Watt (sleep mode), 11,7 Watt

(Ready), 0,2 Watt (Power off), TEC 0,18 kWh/week

AC 220 V - 240 V, 50 Hz - 60 Hz Supply Voltage

Product dimensions 425 x 535 x 357 mm (Width x Depth x Height)

Product weight 18,7 kg

Compatible Operating Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS

Systems

10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x. Mac OS X 10.6.8. SAP. Windows 10. Windows 11. Windows 7. Windows 7 x64. Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows

Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2. XP Professional x64 Edition. XP Professional x64 Edition SP2. macOS 11 or later

Included Software Epson Document Capture Pro (Windows only)

Apple AirPrint, Google Cloud Print, Epson Connect (iPrint, Email Print, Remote Print Driver, Mobile and Cloud printing

services Scan-to-Cloud, Facebook print)

220V, 240V Power supply

#### ADDITIONAL FEATURES

2.057 MB Memory

Features Touchscreen, Direct Print, Direct scan-to-print without PC, Direct print from USB

Panel Type: Color, Touchscreen, Diagonal: 10,9 cm

Media Handling ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape

printing, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

#### OTHER FEATURES

PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7 **Fmulations** 

#### **SUPPLIES**

WF-C53xx / WF-C58xx Series Ink Cartridge L Black	C13T11C140	3.000 pages
WF-C53xx / WF-C58xx Series Ink Cartridge L Cyan	C13T11C240	3.000 pages
<ul> <li>● WF-C53xx / WF-C58xx Series Ink Cartridge L Magenta</li> </ul>	C13T11C340	3.000 pages
<ul> <li>● WF-C53xx / WF-C58xx Series Ink Cartridge L Yellow</li> </ul>	C13T11C440	3.000 pages
<ul> <li>● WF-C53xx / WF-C58xx Series Ink Cartridge XL Black</li> </ul>	C13T11D140	5.000 pages
<ul> <li>● WF-C53xx / WF-C58xx Series Ink Cartridge XL Cyan</li> </ul>	C13T11D240	5.000 pages
<ul> <li>WF-C53xx / WF-C58xx Series Ink Cartridge XL Magenta</li> </ul>	C13T11D340	5.000 pages
<ul> <li>WF-C53xx / WF-C58xx Series Ink Cartridge XL Yellow</li> </ul>	C13T11D440	5.000 pages
<ul> <li>● WF-C53xx / WF-C58xx Series Ink Cartridge XXL Black</li> </ul>	C13T11E140	10.000 pages

# LOGISTICS INFORMATION

SKU	C11CK23401
EAN code	8715946703503
Country of Origin	Indonesia

#### WorkForce Pro WF-C5890DWF

#### **INK YIELD DATA**



•	3.000 pages*	5.000 pages*	10.000 pages*
• • •	3.000 pages*	5.000 pages*	

Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield













